

17th January 2025

To: General Practices

Dear Colleagues

Re: Pharmacy First Resources

Please find enclosed two Pharmacy First one page summaries for:

- a) Pharmacy First Seven Clinical Conditions
- b) Pharmacy First Minor Illness

Your practice may find these documents useful when referring patients to the NHS Pharmacy First Service since they highlight inclusion and exclusion criteria.

If useful, you may wish to laminate these summaries and have them easily available to be used by clinicians referring into the service or alternatively for reception staff who have had training in the Pharmacy First service.

Pharmacy First - Seven Clinical Conditions

Pharmacy First includes 7 common clinical conditions pathways. The pharmacist can offer advice to patients and supply medicines, including some prescription-only medicines under patient group directions (PGDs).

General Practice can either complete an electronic referral or signpost the patient to a participating pharmacy of the patient's choice for this aspect of the service. Patients can also self-refer into this scheme.

Pharmacy First - Minor Illness

The attached summary indicates the minor Illness conditions suitable for a patient to be referred to a community pharmacy. A *formal referral* is required by the GP practice to the community pharmacy.

For further information on the service, please see <u>NHS England » Pharmacy First</u> and for further support, please reach out to your borough medicines optimisation teams.

Training and referral templates

As a reminder we have a number of resources practices can use to support Pharmacy First which are available on our website.

Community Pharmacy :: North West London ICS

A NWL ICB Pharmacy First webinar recording can be found here: Resources for General Practice (password protected) :: North West London ICS

Please contact your borough medicines optimisation team for the password to this recording.




Referral Forms

We have produced a NWL ICB Pharmacy first referral form which can be found on EMIS and Systm 1 in the following locations:


EMIS:

Shared Folder > NWL EMIS Enterprise S&R > Other > NWL ICS Pharmacy First Pharmacy Service Referral NHSE London





Systm 1: Auto-consultation> 25 Pharmacy services> Pharmacy First Pharmacy Services Referral



We hope you find these resources useful and please do not hesitate to contact your medicines optimisation team if you need additional information. We thank you for your continued engagement supporting this programme.

Yours sincerely

Sangeeta Sharma

Deputy Chief Pharmacist Primary and Community Care North West London Medicines Optimisation Team



Pharmacy First: 7 Clinical Pathways

Please note these are the main exclusions to support referrals. The community pharmacist will review specific symptoms during the consultation

Urinary tract infection	Shingles*	Impetigo	Infected insect bites	Acute sore throat	Acute sinusitis	Acute otitis media
A UTI is an infection in any part of the urinary system.	Shingles is an infection that causes a painful rash	Impetigo is a common infection of the skin. It is contagious, which means it can be passed on by touching.	Insect bites and stings can become infected or cause a reaction.	Sore throat is a symptom resulting from inflammation of the upper respiratory tract	Sinusitis is swelling of the sinuses, usually caused by an infection. The sinuses are small, empty spaces behind your cheekbones and forehead that connect to the inside of the nose.	An infection of the middle ear.
Inclusion: • Female • Aged between 16 - 64 • Suspected lower UTI	Inclusion: 18 years and over Suspected case of shingles. Rash appeared within the last 72 hours - 7 days	Inclusion: 1 year and over Signs and symptoms of impetigo Localised (4 or fewer lesions/clusters present)	Inclusion: • 1 year and over • Infection that is present or worsening at least 48 hours after the initial bite(s) or sting(s)	Inclusion: • 5 years and over • Suspected sore throat	Inclusion: 12 years and over Suspected signs and symptoms of sinusitis Symptom duration of 10 days or more	Inclusion: • Aged between 1 – 17 • Suspected signs and symptoms of acute otitis media
Exclusion: • Male • <16 or >64 • Pregnant • Breastfeeding • Recurrent UTI (2 in last 6 months or 3 in last 12 months) • Catheter • Type 1 or 2 Diabetic	Exclusion: <under 18="" 7="" age="" ago<="" breastfeeding="" breasts="" days="" of="" on="" onset="" or="" over="" pregnancy="" pregnant="" rash="" shingle="" shingles="" sores="" suspected="" td="" the="" with=""><td>Exclusion:</td><td>Exclusion: • < under 1 year of age • Pregnancy or suspected pregnancy in individuals under 16 years of age • Systemically unwell • Bite or sting occurred while travelling outside the UK</td><td>Exclusion: Individuals under 5 years of age Pregnancy or suspected pregnancy in individuals under 16 years of age Recurrent sore throat/tonsillitis (7 or more significant episodes in the preceding 12 months or 5+ in each of the preceding 2 years, or 3+ in the preceding three years) Previous tonsillectomy</td><td>Exclusion: Individuals under 12 years of age Pregnancy or suspected pregnancy in individuals under 16 years of age Symptom duration of less than 10 days Recurrent sinusitis ((4 or more annual episodes of sinusitis)</td><td>Individuals under 1 year of age or over 18 years of age Pregnancy or suspected pregnancy in individuals under 16 Recurrent infection (3+ episodes in preceding 6 months, or 4+ episodes in the preceding 12 months with at least one episode in the past 6 months.)</td></under>	Exclusion:	Exclusion: • < under 1 year of age • Pregnancy or suspected pregnancy in individuals under 16 years of age • Systemically unwell • Bite or sting occurred while travelling outside the UK	Exclusion: Individuals under 5 years of age Pregnancy or suspected pregnancy in individuals under 16 years of age Recurrent sore throat/tonsillitis (7 or more significant episodes in the preceding 12 months or 5+ in each of the preceding 2 years, or 3+ in the preceding three years) Previous tonsillectomy	Exclusion: Individuals under 12 years of age Pregnancy or suspected pregnancy in individuals under 16 years of age Symptom duration of less than 10 days Recurrent sinusitis ((4 or more annual episodes of sinusitis)	Individuals under 1 year of age or over 18 years of age Pregnancy or suspected pregnancy in individuals under 16 Recurrent infection (3+ episodes in preceding 6 months, or 4+ episodes in the preceding 12 months with at least one episode in the past 6 months.)



Pharmacy First: Minor illnesses referrals

Service suitability

The service is only for patients aged over 1 year.

			, , , , , , , , , , , , , , , , , , , ,			
CONDITIONS	What conditions are SUITA	ABLE for referral to pharma	cists?	Do NOT refer in these circumstances		
BITES/STINGS	Bee sting Wasp sting	Stings with minor redness	Stings with minor swelling	Drowsy / fever Fast heart rate	Severe swellings or cramps	
COLDS	· Cold sores · Coughs	• Flu-like symptoms	- Sore throat	Lasted +3 weeks Shortness of breath	Chest pain Unable to swallow	
CONGESTION	Blocked or runny nose	Constant need to clear their throat	• Excess mucus • Hay fever	Lasted +3 weeks Shortness of breath	•1 side obstruction • Facial swelling	
EAR		• Ear wax • Blocked ear	- Hearing problems	Something may be in the ear canal Discharge	Severe pain. Deafness Vertigo	
EYE	· Eye, red or Irritable	• Eye, sticky • Eyelid problems	• Watery / runny eyes	Severe pain Pain 1 side only	Light sensitivity Reduced vision	
GASTRIC / BOWEL	Constipation Diarrhoea Infant colic	Heartburn Indigestion	Haemorrhoids Rectal pain, Vomiting or nausea	Severe / on-going Lasted +6 weeks	Patient +55 years Blood / Weight loss	
GENERAL	· Hay fever	· Sleep difficulties	Tiredness	· Severe / on-going		
GYNAE/THRUSH	Cystitis Vaginal discharge	Vaginal itch or soreness		Diabetic / Pregnant Under 16 / over 60 Unexplained bleeding	Pharmacy treatment not worked Had thrush 2x in last 6 months	
PAIN	Acute pain Ankle or foot pain Headache Hip pain or swelling Knee or leg pain	Lower back painLower limb painMigraineShoulder pain	Sprains and strains Thigh or buttock pain Wrist, hand or finger pain	Condition described as severe or urgent Conditions have been on- going for +3 weeks	Chest pain / pain radiating into the shoulder Pharmacy treatment not worked Sudden onset	
SKIN	Acne, spots and pimples Athlete's foot Blisters on foot Dermatitis / dry skin Hair loss	Hay fever Nappy rash Oral thrush Rash - allergy Ringworm/ threadworm	Scabies Skin dressings Skin rash Warts/verrucae Wound problems	Condition described as severe or urgent Conditions have been on- going for +3 weeks	Pharmacy treatment not worked Skin lesions / blisters with discharge Diabetes related?	
MOUTH/THROAT	Cold sore blisters Flu-like symptoms Hoarseness	Mouth ulcers Sore mouth Sore throat	- Oral thrush - Teething - Toothache	Lasted +10 days Swollen painful gums Sores inside mouth	Unable to swallow Patient has poor immune system Voice change	
SWELLING	Ankle or foot swelling Lower limb swelling	Thigh or buttock swelling Toe pain or swelling	Wrist, hand or finger swelling	Condition described as severe or urgent Condition ongoing for +3 weeks Ver 1.6 NHS England	Discolouration to skin Pharmacy treatment not worked Recent travel abroad July 2019.	

Э